

Full-depth pits for maximum efficiency

Model PT Heavy-Duty Alignment T-Pit System

- Full-length rail system supports use of optional jacks for both front and rear axle lifting
- ✓ 18,000-lb. (8.165 metric tons) maximum front axle weight capacity
- √ 58" (1,473 mm) deep pit allows a technician to work upright
- Adjustable runways handle a wide range of track widths
- Removable heavy-duty runways give maximum workspace

Available options:

Extra 10' Rail Kit (20-1517-1) (Multiples of 10' can be added)



Model PT shown with optional Rolling Jack Support

Model PF Heavy-Duty Alignment System with beam

- ✓ 18,000-lb. (8.165 metric tons) maximum front axle weight capacity
- √ 58" (1,473 mm) deep pit allows a technician to work upright
- √ 100-ton (90.7 metric ton) work beam capacity
- Adjustable runways handle a wide range of track widths
- Removable heavy-duty runways give maximum workspace

Available options:

T-Extension Kit (20-869-1) **Extra Rail Kit** (20-1517-1)



Model PF with T-Extension

Shallow pit alternative

Model PE Medium-Duty Alignment System with beam

- √ 10,000-lb. (4.535 metric tons)
 maximum front axle weight capacity
- √ 36" deep pit
- ✓ 50-ton (45 metric ton) work beam capacity
- Adjustable runways handle a wide range of track widths



Popular Equipment Options



Rear view of pit jack shows a wide array of standard accessories in the storage area.

HD Pit Jack (133-77-2)

- ✓ 32,500 lbs. total capacity or 17,500 lbs. per cylinder
- ✓ Air powered and hydraulically driven
- Cylinders can be individually adjusted side to side

Rolling Jack Support (11-637-1)

- Designed for various styles of jacks, including bottle jacks
- Provides lifting capability on any axle at any point on the rails



Turnplates:



Stainless Steel Electronic Truck Turnplates (shown) (25-158-1)

Electronic Truck Turnplates (25-139-1)




Heavy-Duty Truck Turnplates for Audit Purposes (shown) (25-71-1)

Standard Heavy-Duty Truck Turnplates (25-24-1)


Specifications and site requirements

Model PT




For Model PT blueprint, order 4731-T

Model PF with T-extension



For Model PF blueprint with T-extension, order 3507-T

Models PE and PF without T-extension



For Model PF blueprint without T-extension, order 752-T For Model PE blueprint, order 744-T





For additional information on Hunter WinAlign Alignment Systems, see Form 995-T. For additional information on Hunter Heavy-Duty Power Racks, see Form 4986-T.



Because of continuing technological advancements, specifications, models and options are subject to change without notice. www.hunter.com

Form 3057-T, 02/10 Supersedes 3057-T, 01/07

